












instruction





1027 05 13 42
211/2



instruction



1027 05 13 42
211/2






++++ = MAX. 720°






++++ = MAX. 720°





instruction

1027 05 20 26
204/2



4

TYPE	L mm	H mm
SKODA X FELICIA HATCHBACK		39
SKODA X FAVORIT HATCHBACK		39
SKODA X FELICIA COMBI		59
NISSAN X FAVORIT PICKUP		59
NISSAN X ALMERA U.K.		40
NISSAN X SUNNY / SENTRA		55
TOYOTA X MR 2 2000		65
ALFA X 164		10
HYUNDAI X LANTRA / ELANTRA	347	40
HYUNDAI X ELANTRA MODEL 2001	357	50
SUZUKI X BALENO		39
SUZUKI X BALENO (SHOWA)	343	40
SUZUKI X BALENO (KYB)	346	50

2 - 2.5mm.

11

	M 10	M 12	M 14	M 16	M 18	M
	35 Nm (26 ft. lbs)	50 Nm (37 ft. lbs)	80 Nm (59 ft. lbs)	120 Nm (89 ft. lbs)	165 Nm (126 ft. lbs)	 .. mm
	45 Nm (33 ft. lbs)	80 Nm (59 ft. lbs)	125 Nm (92 ft. lbs)	180 Nm (133 ft. lbs)	250 Nm (185 ft. lbs)	
	—	50 Nm (37 ft. lbs)	80 Nm (59 ft. lbs)	120 Nm (89 ft. lbs)	165 Nm (126 ft. lbs)	

